



केन्द्रीय माध्यमिक शिक्षा बोर्ड
Central Board of Secondary Education
संबंधता - Online School Affiliation & Monitoring System R-2.0
As per new Affiliation Bye-Laws



Contact Us

Grant Letter for - EX-01390-2021

NO : CBSE/AFF/2730587 /EX-01390-2021/2020-21/

Dated: 03/10/20

The Manager,
The Baptist Convent School
C.G.H.S. Complex, Near Balco Market, I.P. Extn., Patparganj, Delhi-92
DELHI, EAST DELHI, 110092
(M: 01122247202)

Sub: Extension of General Affiliation up to Secondary/Senior Secondary Level - regarding
Ref: Application No. EX-01390-2021

With reference to your application on the subject cited above; I am directed to convey the approval for Extension of General Affiliation as per details given below:-

Affiliation No : 2730587
Affiliated for : Senior Secondary
Category : Extension of General Affiliation
Period of Extension of : 01.04.2020 to 31.03.2025

In view of current COVID-19 pandemic which has most severely affected the normal functioning of schools in the country, however, the school is pursuing to provide extension of affiliation so as to avoid any difficulty for the purpose of admission /registration/ obtaining loan/renewal of various safety certificates from appropriate state authorities.

Therefore, the competent authority of the Board after due consideration has accorded approval for extension of Affiliation based on details/data submitted by school in online application for a further period of 5 years subject to fulfilment of following conditions:

1. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time
2. The School is required to apply online for further extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws, 2018.
3. The school will also abide by the conditions prescribed, if any, by the State Government concerned as mentioned in certificate as per appendix III issued by District Education Officer (DEO) /equivalent officer
4. The school should ensure the strong governance and management of its activities in way of comprehensive and quantifiable planning in way of curriculum planning, infrastructure, resources, physical education, staff development and other co-curricular areas.
5. The school should go through the provision of **Affiliation and Examination Bye Laws and keep a copy there of** for reference purpose and also advised to visit CBSE websites i.e. <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates. The School is expected to see all circulars on these CBSE websites regularly.
6. The school will strictly adhere to all rules regarding safety of students including Fire fighting and Transportation, etc. Further, school will provide adequate facilities for potable drinking water and clean healthy and hygienic toilets with washing facilities for boys and girls separately in proportion to the number of students. The school will ensure that Fire, Building, health and sanitation and safe drinking water certificates are renewed from time to time, as per norms.
7. **Admission to the school** is to be restricted as per relevant rules of Examination Bye-laws and rule 2.4.5, 2.6.5, 7.1, 7.2, 8.4.2, 8.4.10 & other relevant rules of Affiliation bye laws.
8. The school is required to follow rule No.2.4.7 and 2.4.8 of Affiliation Bye Laws regarding Books and Quality of Education.
9. The number of sections may be restricted as per the Appendix V of the Affiliation Bye-Laws of the Board. For increase in number of sections, the School shall apply online to the Board as per rule 15.7 of Affiliation Bye laws.
10. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity related to running of school affiliated to CBSE. The school shall also be liable to bear all legal charges incurred by the Board, if any, arising out of these circumstances.
11. The school must strive to promote conservation of environment on their campus through rain water harvesting, segregation of waste at source, recycling of organic waste, proper disposal of waste including electronic waste, use of energy saving and energy efficient electrical equipment, greening of campus, use of solar energy, education and awareness amongst children on environment conservation and cleanliness etc
12. The school shall submit their information through Online Affiliated School Information System (OASIS) as per details given in circular no. affiliation-06/2018 dated 24.04.2018. Link for OASIS is available on Board's website: www.cbse.nic.in
13. The optimum Section teacher ratio of 1:1.5 as well as student teacher ratio of 30:1 is to be maintained to teach various subjects in school shall appoint qualified and trained teaching staff on regular basis as per provisions of Affiliation Bye Laws of the Board.
14. Every affiliated school shall sponsor regularly its bonafide and eligible students in Boards Class X and Class XII examinations from the year mentioned while granting affiliation/up-gradation regularly without break or inform with reasons thereof in writing well in time about the non-sponsoring of the candidates.
15. Running of coaching institutions in the school premises in the pretext of providing coaching to the students for various examinations is not permitted by the Board. Strict action would be taken on defaulters.
16. The Manger and the Principal of the school shall be jointly responsible for the authenticity of the online/offline documents/ information/data submitted by the School to the Board.
17. Apart from rules to be adhered to by the school as mentioned above for drawing specific attention of the school authorities, the school authorities are required to acquaint themselves with all the rules contained in Affiliation & Examination Bye-laws and circulars/guidelines/notification issued by the Board from time to time. Any laxity in following rules/instructions of the Board will lead to action against school as per clause 12 of Affiliation Bye-laws-2018.

The authenticity of information / documents / data submitted shall be of school and in case if found otherwise the school shall

19. The school shall be responsible for submission of any pending compliance, reply of show case /legal notice/ complaint and for submission of date/information sought by the Board. The extension of 05 years shall be from the date of cessation of previous validity of extension of affiliation
20. The school is required to remit pending fee, if any
21. The extension of affiliation is being granted as one time measure. However, the cases where the Show Cause Notice was communicated or grievance / legal cases are pending against the school, the Board will take appropriate decision in this matter
22. The school shall renew all mandatory safety certificate i.e Safe Drinking Water & Health and Hygiene certificate, Fire Safety Certificate and Building Safety Certificate from concerned Govt authorities time to time
23. The school shall also maintain record of certificate, compliances, data and other records/information and shall be fully responsible to produce all such records before Board and appropriate Government Authorities when asked for, failing which necessary action shall be taken as per Affiliation-Bye-Laws of the Board. The school shall also be liable for action by the appropriate Govt., in case of violation / non-compliance of the concerned Govt. norms
24. The Board reserves the right to conduct inspection of school as per clause 11.2 and 11.4 of Affiliation Bye Laws.

Deputy Secretary/ Joint Secretary(Affiliation)

This is a computer-generated document. No signature is required.

MUNICIPAL CORPORATION OF DELHI
OFFICE OF THE EXECUTIVE ENGINEER-XI
9, BLOCK GEETA COLONY DELHI-31

No. EE-XI/SIHS/2007-08/ 235

Dated: 27/6/07

To
The Chairman
Baptist Convent School
C.G.H.S. Complex, I.P. Extn.
Near Balco Mkt. Patpar Ganj, Delhi-92

Subject:- Building Fitness Certificate.

This is with reference to your letter dated 08.06.2007 regarding issue of building fitness certificate for the below mentioned school:-

Name of School:- Baptist Convent School

Add and location:- C.G.H.S. Complex, I.P. Extn. Near Balco Mkt. Patpar Ganj, Delhi-92

The above mentioned school building has been got inspected and it seems that the building of said school is structurally safe as per appearance at present and site verification. This certificate is not valid for ownership of land and unauthorized construction if any in the premises.

By Staff/Div A/c

Asst. Eng.
Ex. Engineer-XI
M.C.D.
Block Geeta Colony
Delhi-31



GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS : DELHI FIRE SERVICE : NEW DELHI - 110001


No.F6/DFS/MS/School/NDZ/2022/ 1110

Dated:- 07 /10/2022

FIRE SAFETY CERTIFICATE

Certified that the **The Baptist Convent School** located at **C.G.H.S, I.P. extension, Delhi-92** comprised of **Ground + 03 Upper floors**, owned/occupied by **The Baptist Convent School**, was granted FSC by this department vide letter No. **F6/DFS/MS/School/2016/NDZ/831** dated **20/05/2016**. The premises was re-inspected by the officer concerned of this department on **29/09/2022** in the presence of the **Dr. Mahima (Principal)** and found that school have deemed complied with the fire prevention and fire safety requirements in accordance with the **Rule 33** of the **Delhi Fire Service Rules 2010** and that school premises is fit for occupancy of class **Group B "Educational Building" Sub-Div. (B-I) Gr. + 3 upper floors only**, with effect from ~~07/10/2022~~ **07/10/2022** for a period of three years, in accordance with **Rule 36** unless renewed under **Rule 37** or sooner cancelled under **Rule 40** and subject to compliance of the conditions under **Rule 38** of the **Delhi Fire Service Rules 2010**, printed below.

Issued on ~~07/10/2022~~ **07/10/2022** at New Delhi by.


(S.K. Dua)

Dy. Chief Fire Officer
Delhi Fire Service

Copy to:-

1. The Director of Education,
Govt. of NCT Delhi, Old Sectt. Delhi - 110054.
2. The Baptist Convent School,
C.G.H.S, I.P. extension, Delhi-92.

Condition for the validity of fire safety certificate

1. All the fire safety arrangements provided therein shall be maintained in good working conditions at all times.
2. Any loss of life or property due to non functional fire safety measures shall be at the responsibility of the management.
3. The trained fire fighting staff should be available round the clock.
4. Any deviation w.r.t. construction etc. shall be verified by the concerned building sanctioning authority.
5. This fire safety certificate may not be treated in any case for regularization of unauthorized construction, if any.
6. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in
7. The means of escape shall be kept unobstructed / unlocked for unhindered evacuation in case of an emergency.
8. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in form 'J' [sub rule (I) of rule 37] along with a copy of this Certificate, six month prior to its expiry".
9. Terrace floor shall not be used in any case for any purpose. (As per undertaking).

N/22



INSPECTION REPORT

- 1. Name & address of the building: **The Baptist Convent School at C.G.H.S., I.P. extension, Delhi-92**
- 2. Type of occupancy:- **Educational Group-B**
- 3. Type of case:- **Ground + 03 Upper floors**
- 4. Details of previous FSC:- **Renewal**
- 5. Fire safety directives No.- **F6/DFS/MS/School/2016/NDZ/831 dated 20/05/2016**
- 6. Date of inspection:- **N/A**
- 7. Name of the inspecting officer:- **29/09/2022**
- 8. Name & designation of officer: **Sh. A.K. Jaiswal (DO/ED) & Sh. Manoj Kumar Sharma (ADO/LN)**
- 9. Year of construction:- **Dr. Mahima (Principal)**
- 10. Applicant's letter No:- **1986 & 2017**

S.No.	Minimum Standards on fire Prevention and fire safety U/R 33	Requirement	Provided at site	Remarks MR/NMR
1.	Access to Building			
	1) Road width	06 mtr.	06 mtr.	MR
	2) Gate width	N/A	N/A	N/A
	3) Width of internal road	N/A	N/A	N/A
2.	Number, Width Type & Arrangement of Exits			
	A. Number of staircases			
	1. Upper floors	02 nos.	04 nos.	MR
	2. Basements	N/A	N/A	N/A
	B. Width of staircase			
	1. Upper floors	1.5 m	1.5 mtr. each	MR
	2. Basements	N/A	N/A	N/A
	C. Protection of exits			
	1. Fire check door	N/A	N/A	N/A
	2. Pressurization	N/A	N/A	N/A
	D. No. of continuous staircase to terrace	02 nos.	02 nos.	MR
	E. Width of corridor	1.5 mtr.	1.5 mtr.	MR
	F. Door size	1.0 mtr.	1.0 mtr.	MR
3.	Compartmentation			
	1) Fire check door	N/A	N/A	N/A
	2) Sealing of electrical shafts	N/A	N/A	N/A
	3) Fire rating of shaft door	N/A	N/A	N/A
	4) Water curtain	N/A	N/A	N/A
	5) Fire Dampers	N/A	N/A	N/A
4.	Smoke Management System			
	1) Basements	N/A	N/A	N/A
	2) Upper floors	N/A	N/A	N/A
5.	Fire Extinguishers			
	1) Total numbers	08 Nos.	10 Nos.	MR
	2) Types	ABC & CO2	ABC & CO2	MR
	3) ISI marking	ISI marked	ISI marked	MR

QEB M



21.

N/23

Azalia
Agent Malaysia15.
16.

6.	First-Aid Hose Reel			
	1) Total number of each floor	01 nos.	01 nos.	MR
	2) Length of hose reel hose	30 mtr.	30 mtr.	MR
	3) Nozzle diameter	05 mm	05 mm	MR
7.	Automatic Fire Detection & Alarming System			
	1) Type of detectors	N/A	N/A	N/A
	2) Location of main panel	N/A	N/A	N/A
	3) Location of repeater panel	N/A	N/A	N/A
	4) Alternate source of power	N/A	Provided	N/A
	5) Hooter's Location	N/A	N/A	N/A
8.	MOEFA	N/A	N/A	N/A
9.	Public Address System	N/A	Provided	N/A
10.	Automatic Sprinkler System			
	1) Basement	100 mm	100 mm	MR
	2) Upper floors	01 nos.	01 nos.	MR
	3) Sprinkler above false ceiling	01 nos.	01 nos.	MR
11.	Internal Hydrants			
	1) Size of riser/down-comer	N/A	N/A	N/A
	2) Number of hydrants per floor	N/A	N/A	N/A
	3) Hose box	N/A	N/A	N/A
12.	Yard Hydrants			
	1) Total number of hydrants	N/A	N/A	N/A
	2) Hose box	N/A	N/A	N/A
13.	Pumping Arrangement			
	1) Ground level	N/A	N/A	N/A
	a) Discharge of main pump	N/A	N/A	N/A
	b) Head of main pump	N/A	N/A	N/A
	c) Number of main pump	N/A	N/A	N/A
	d) Jockey pump output	N/A	N/A	N/A
	e) Jockey pump head	N/A	N/A	N/A
	f) Stand by pump output	N/A	N/A	N/A
	g) Stand by pump head	N/A	N/A	N/A
	h) Auto starting/Manual stopping	N/A	N/A	N/A
	2) Terrace level			
	a) Discharge of pump	450 LPM	450 LPM	MR
	b) Head of pump	40 mtr	40 mtr	MR
	c) Power supply	Required	Provided	MR
	d) Auto starting of pump	Required	Provided	MR
14.	Captive Water Storage for Fire Fighting			
	1) Under ground tank capacity	N/A	N/A	N/A
	a) Draw-off connection	N/A	N/A	N/A
	b) Fire service inlet	N/A	N/A	N/A
	c) Access to tank	N/A	N/A	N/A
	d) Over head tank capacity	5,000 ltrs.	5,000 ltrs.	MR

M J

n/24



15.	Exit Signage.	Required	Provided	MR
16.	Provision of Lifts.			
	a) Pressurization of lift shaft	N/A	N/A	N/A
	b) Pressurization of lift lobby	N/A	N/A	N/A
	c) Communication in lift car	N/A	N/A	N/A
	d) Fireman's switch	N/A	N/A	N/A
	e) Lift signage	N/A	N/A	N/A
17.	Stand by Power Supply	N/A	N/A	N/A
18.	Refuge Area			
	Total area location	N/A	N/A	N/A
19.	Fire Control Room			
	a) Detector system panel	N/A	N/A	N/A
	b) Flow switch panel	N/A	N/A	N/A
	c) PA system panel	N/A	N/A	N/A
	d) Battery backup	N/A	N/A	N/A
	e) Building floor plan	N/A	N/A	N/A
20.	Special Fire Protection System for Protection of special Risk, if any:			

The fire protection system provided in the school building were tested, checked at random and found functional at the time of inspection. Shortcomings communicated vide letter No. F6/DFS/MS/School/2019/4816 dated 09/08/2019 have been rectified. (Undertaking and photos enclosed at C/40 to C/42). In view of the deemed compliance of the minimum standards of fire prevention and fire safety measures as required under the rules the FSC issued vide letter No. F6/DFS/MS/School/2016/NDZ/831 dated 20/05/2016, renewal under Rule 35 of the Delhi Fire Service rules 2010, is recommended.

Mush
30/9
Signature of the Inspection Officer
Name :- M.K. Sharma
Designation:- ADO/LN

A.K. Jaiswal
30/09/22
Signature of the Inspection Officer
Name :- A.K. Jaiswal
Designation:- DO/ED

DY. CEO (NDZ)

F.T. please -
king
03/10/22

FDO (LN)

F.T. letter is put up for sig. pl
Mush
4/10

DCO (NDZ)
king
06/10
R.P. wing



Spectra Testing Laboratory

An ISO-9001 : 2015 Certified Laboratory

Testing of Water, Food, Chemicals, Materials, Environment

D-14/8, 1st Floor, Okhla Industrial Area,
Phase-1, New Delhi - 110020 (India)
Mobile: +91-98912 25809, 95606 53541
E-mail: care.spectra@gmail.com
Website: www.spectraanalyticlabs.com

TEST REPORT

Issued To: M/s THE BAPTIST CONVENT SR.SEC. SCHOOL
PATPARGANJ, IP EXTENSION, DELHI-110091

Report No. DW/0623/26104
Date of Receipt : 21.06.2023

Nature of the Sample : Water Sample
Customer Ref. No. : N.S.
Brand Name : N.S.
Sample collected by : Lab Representative

Date of Issue : 26.06.2023
Test Started On : 21.06.2023
Test Completed on : 26.06.2023
Sample Quantity : 2Ltr.
Best Before Date : N.S.
Any Other Information : N.S.

Drinking Water IS: IS:10500-2012

Sr.No.	Test Parameters	Units	Results	Max Requirement IS:10500-2012		Test Method
				Acceptable Limits	Permissible Limits in Absence of Alternate Source	
1	Colour,	Hazen	<5.0	5	15	IS:3025(p-4)1983
2	Odour	-	Agreeable	Agreeable	Agreeable	IS:3025(p-5)1983
3	Taste	-	Agreeable	Agreeable	Agreeable	IS:3025(p-7)1984
4	Turbidity	NTU	<1.0	1	5	IS:3025(p-10)1984
5	pH	-	7.65	6.5-8.5	No Relaxation	IS:3025(p-11)1983
6	Total Dissolved Solids	mg/l	124.5	500	2000	IS:3025(p-16)1984
7	Chloride (as Cl)	mg/l	18.0	250	1000	IS:3025(p-32)1988
8	Sulphate(as so4)	mg/l	5.0	200	400	IS:3025(p-24)1986
9	Calcium (as Ca)	mg/l	10.4	75	200	IS:3025(p-40)1991
10	Magnesium (as mg)	mg/l	5.4	30	100	IS:3025(p-46)2003
11	Iron (as Fe),	mg/l	<0.1	0.3	No Relaxation	IS:3025(p-53)2003
12	Total Alkalinity (as CaCo3)	mg/l	74.0	200	600	IS:3025(p-23)1986
13	Total Hardness (as CaCo3)	mg/l	29.0	200	600	IS:3025(p-21)2009
14	Hexavalent Chromium (as Cr ⁶⁺)	mg/l	ND(DL-0.01)	0.05	No Relaxation	APHA 3500-13
15	Phenolic Compounds (as C6H5OH)	mg/l	ND(DL-0.001)	0.001	0.002	IS:3025(p-43)1988
16	Cyanide (as CN)	mg/l	ND(DL-0.01)	0.05	No Relaxation	IS:3025(p-27)2003
17	Zinc (as Zn)	mg/l	ND(DL-1.0)	5.0	15	IS:3025(p-39)

[Signature]
Analyst

[Signature]
AUTHORISED SIGNATORY

Note: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Spectra Testing Laboratory is limited invoiced amount only.

Laboratory: Plot No. 343/14, Krishna Colony, Sehatpur, Faridabad-121003 (Haryana) Near Durga Builder
An ISO-9001:2015, 14001:2015, OHSAS-18001:2007



Spectra Testing Laboratory

An ISO-9001 : 2015 Certified Laboratory

Testing of Water, Food, Chemicals, Materials, Environment

D-14/8, 1st Floor, Okhla Industrial Area,
Phase-1, New Delhi - 110020 (India)
Mobile: +91-98912 25809, 95606 53541
E-mail: care.spectra@gmail.com
Website: www.spectraanalyticlabs.com

TEST REPORT

Report No. DW/0623/26104					Page-2of2	
18	Copper (as Cu)	mg/l	ND(DL-0.01)	0.05	1.5	IS:3025(p-42)2003
19	Mineral oil	mg/l	ND(DL-0.01)	0.5	No Relaxation	APHA
20	Arsenic (as As)	mg/l	ND(DL-0.01)	0.01	No Relaxation	IS:3025(p-37)
21	Selenium (as Se)	mg/l	ND(DL-0.01)	0.01	No Relaxation	IS:3025(p-56)2003
22	Mercury (as Hg)	mg/l	ND(DL-0.001)	0.001	No Relaxation	IS:3025(p-48)2003
23	Cadmium (as Cd)	mg/l	ND(DL-0.001)	0.003	No Relaxation	IS:3025(p-41)
24	Lead (as Pb)	mg/l	ND(DL-0.01)	0.01	No Relaxation	IS:3025(p-47)2003
25	Aluminium(as Al)	mg/l	ND(DL-0.01)	0.03	No Relaxation	IS:3025(p-55)2003
26	Boron (as Cl)	mg/l	ND(DL-0.01)	0.5	1.0	IS:5220(P-13)
27	Fluoride(as F)	mg/l	0.05	1	1.5	IS:3025(p-60)2008
28	Ammonic Detergent as (as MBAS)	mg/l	ND(DL-0.1)	0.2	1.0	IS:13428-2005
29	Manganese (as Mn)	mg/l	ND(DL-0.01)	0.1	0.3	IS:3025(p-59)2006
30	Nitrate (as No3)	mg/l	2.2	45	No Relaxation	IS:3025(p-34)1988
31	Nickel (as Ni)	mg/l	ND(DL-0.01)	0.02	No Relaxation	IS:3025(p-57)2005
32	Residual free Chlorine	mg/l	0.20	0.20	1	IS:3025(p-26)1986 IS:14543-2004

Microbiological Test

Sr.No.	Test Parameters	Units	Results	Requirement IS:10500-2012	Test Method
1	Coliform	MPN/100ml	Absent	Absent	IS:1622-1981
2	E.Coli	MPN/100ml	Absent	Absent	IS:1622-1981

Not: BDL-Below Detection Limit

ND-Not Detected,DL=Detection Limits,

Remarks: The sample conforms as per IS:10500-2012 for water on parameters w.r.t. the above tests only

****End of Report****


Analyst


AUTHORISED SIGNATORY

Note: The laboratory accepts the responsibility for content of report. The results contained in this test report related only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full without the written approval of this organization. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaints about this report should be communicated in writing within 7 days of issue of this report. Total liability of Spectra Testing Laboratory is limited invoiced amount only.

Laboratory: Plot No. 343/14, Krishna Colony, Sehatpur, Faridabad-121003 (Haryana) Near Durga Builder
An ISO-9001:2015, 14001:2015, OHSAS-18001:2007

S.No	Name	Designation
1	Dr. Mahima	Chairperson
2	Mr. Anindo	Vice Chairperson, Parent Member (X)
3	Ms. Anita Chatterjee	Vice Chairperson, Teacher member (P.G.T)
4	Mr. Surinder Kumar Todi	Secretary, Parent Member (XII)
5	Ms. Richa Gaur	Joint Secretary, Parent Member (VIII)
6	Ms. Meenakshi Sharma	Joint Secretary, Teacher Member (T.G.T)
7	Ms. Monica Dutta	Treasurer, Teacher Member (T.G.T)
8	Ms. Laxmi Rohit Kumar	Parent Member (Nursery)
9	Ms. Akshita Aggarwal	Parent Member (Nursery)
10	Ms. Shikha Srivastava	Parent Member (Prep)
11	Ms. Chaaya	Parent Member (Prep)
12	Ms. Sabita Singh	Parent Member (I)
13	Ms. Tanuja Chauhan	Parent Member (I)
14	Ms. Mamta Gusain	Parent Member (II)
15	Ms. Kavita Pawar	Parent Member (II)
16	Ms. Rebeka Joy Sahu	Parent Member (II)
17	Ms. Monika Aggarwal	Parent Member (III)
18	Mr. Shyam Sundaram	Parent Member (III)
19	Mr. Sunil Singh Pundir	Parent Member (IV)
20	Ms. Kiran Katoch	Parent Member (IV)
21	Mr. Manmohan Singh	Parent Member (V)
22	Ms. Seema Devi	Parent Member (V)
23	Mr. Subhash Gairola	Parent Member (VI)
24	Ms. Deepika Bhargava	Teacher Member
25	Mr. Mihir Kumar Jha	Parent Member (VI)
26	Ms. Mamta Pandey	Parent Member (VII)
27	Ms. Anita	Parent Member (VII)
28	Mr. S. Kumar	Parent Member (VIII)
29	Ms. Deepika Rohtagi	Teacher Member
30	Ms. Tejaswee	Parent Member (IX)
31	Mr. Parameshwar	Parent Member (IX)

32	Ms. Kiran Mehan	Teacher Member
33	Mr. Ajay Dabral	Parent Member (X)
34	Ms. Indu Goel	Teacher Member
35	Md. Saleem Ansari	Parent Member (XI)
36	Ms. Pooja Sharma	Teacher Member
37	Mr. Arun Tiwari	Parent Member (XII)
38	Mr. Lalit	Parent Member (XII)
39	Ms. Pushpa Ghosh	Teacher Member
40	Ms. Piyasa Ghosh	Teacher Member

The School Management Committee

Mrs. Charu Arora (Chairperson)

Mrs. Sunita Dhingra (Manager)

Mr. Chhabra (Management Treasurer)

Mr. Rakesh Bajaj (Secretary)

Dr. Mahima (Principal)

Dr. Ashok Gaur – Principal (Sarvodaya Co-ed. Sr. Sec. School) (DE Nominee)

Dr. Dharam Singh – Principal (GBSSS – Khichripur) (DE Nominee)

Mr. Sushil Sharma – Vice Principal (GBSSS – New Kondli) Advisory Board Nominee

Mr. Satish Laxman Rao – Vice Principal (GGSS – Mayur Vihar) Advisory Board Nominee

Mr. Saurabh Malhotra (Chartered Accountant)

Mrs. Anita Chatterjee (Staff Representative/ PTA member)

Ms. Meenakshi Sharma (Staff Representative/ PTA member)

Mr. Anindo (Parent Representative/ PTA member)

Ms. Richa Gaur (Parent Representative/PTA member)

Mrs. Chaaya (PTA EWS member)

Mr. Shyam Sunder (Member)

DIRECTORATE OF EDUCATION : DELHI
DISTRICT EAST : RANI GARDEN : DELHI

NO. DOE/EAST/RECOGNITION/ 2628

Dated 2/8/89

To

The Manager,

The Baptist Convent School,

A-2 Ganesk Nagar Extn. Shalimarpur, Delhi-92.

Subject:- Grant of Recognition to the school from class Ist to VIIIth (without aid) with effect from academic session 1989-90 for a day school.

Sir,

With reference to your application on the subject cited above, I am directed to convey the approval of appropriate authority for grant of recognition in respect of your school from Ist to VIIIth (without aid) with effect from 1989-90 session subject to the fulfilment of the following terms and conditions:-

1. That the school shall abide by the provisions of Delhi School Education Act and Rules, 1973 and the instructions issued from time to time.
2. That the school shall appoint full time qualified and eligible staff as per the norms of the department. That the school shall dispense with the services of unqualified and over-aged staff, if any, immediately.
3. That all the facilities prescribed under Rules 50 & 51 of D.S.E.R., 1973 shall be made available to the students. Provisions of Rules 6, 7 & 8 be strictly observed.
4. That a proper library shall be established and facilities for reading room shall also be made available for students as well as teachers. Books as per the ratio of 10 books per student may be added and facilities of reading-room may also be provided immediately and more books worth Rs.5000/- be purchased by the start of next session and the list of books are furnished to Education Officer for verification.
5. Adequate sports material shall be purchased and made available to the students immediately.
6. That the school shall equip the Science Lab, as per the norms of the department and suitable facilities for practical work shall be provided to the students. More material worth Rs.5000/- shall be purchased during the current session and a list be furnished to the Education Officer for verification.
7. That the school shall admit student without any discrimination of caste and creed as per the norms of the deptt.
8. The payment shall be made as per provisions of section 10(1) of Delhi School Education Act, 1973 to all employees. The staff should be paid full salary with allowances through cross cheque before 7th of every month.
9. That the arrangement of good drinking water shall be made available to all the students/teachers and sanitary facilities shall also be provided to the students immediately.

Contd.....2.

- 10. Health Certificate may be obtained from M.C.D. within a month and submitted to the Education Officer for verification.
- 11. That the enrolment in each section shall not exceed the number of students calculated @ 12 sq.ft. per student for the available floor area of the class-room and the school shall provide adequate and sufficient accommodation as per the norms of the Directorate of Education, Delhi in each class. Number of the existing sections should not exceed the number of class-rooms of proper size in the school.
- 12. That Govt. Nominee in the Managing Committee will be asked immediately and all decisions will be taken in accordance with the provisions in the approved scheme of management by the D.D.E. (Act).
- 13. The Managing Committee of the school shall not enhance the fee during the ensuing academic session without the prior approval of the Director of Education which is a mandatory requirement under sub-section (3) of section 17 of Delhi School Education Act, 1973 and shall regulate the functioning of school strictly in accordance with the provisions of the Act and Rules.
- 14. That the management of the school shall create a Reserve Fund of Rs.5000/- only in a Joint Account in the name of the Director of Education and the Manager of the school in any scheduled bank within a month.
- 15. IXth class should not be started without the prior approval of the Director of Education.
- 16. That the violation of any instructions/orders/conditions/rules and regulations of the department shall lead to the withdrawal of recognition of the school.
- 17. That a report about the fulfilment of the above conditions giving the extent to which each condition is fulfilled shall be sent to the Education Officer every six month.

Yours faithfully,

(N.S. TOLIA)

DEPUTY DIRECTOR OF EDUCATION
District, EAST


NO. DDE/EAST/RECOGNITION/ 2

Dated _____

Copy to:-

- 1. J.D.E. (Planning), Dte. of Edn., Old Sectt., Delhi.
- 2. Education Officer, Zone IX, Distt. East.
- 3. D.D.E. (Capital Works), Dte. of Edn., Old Sectt., Delhi.
- 4. D.D.E. (Act), Dte. of Edn., Old Sectt., Delhi.
- 5. Addl. D.E. (School/Admn.), Dte. of Edn., Old Sectt., Delhi.
- 6. Stat. Unit (R.O.), Dte. of Edn., Old Sectt., Delhi.
- 7. P.A. to Secretary (Education)/D.E./J.D.E. (Admn.).
- 8. Concerned file/Master file.

(N.S. TOLIA)
DEPUTY DIRECTOR OF EDUCATION



No. DHO/Shd.(S)/2023/D-429

Dated :- 03/7/23


School Health Certificate

1. Name of School	: The Baptist Convent School,
2. Location of the School	: C.G.H.S Complex, I.P Ext Patparganj Delhi-110092
3. No. of Staff	: 61
4. No. of Doors/Window	: Provided in each room
5. No. of Students	: 1216
6. Building Structure	: Pucca
7. No of Urinals for boys	: 20
8. No of Toilet for Girls	: 21
9. Electricity	: BSES
10. Water Supply	: DJB Supply
11. Total Rooms	: 50
12. No of Fans	: 244

At the time of Inspection School is found running under sanitary and hygiene conditions. This certificate has no bearing on unauthorized construction of the premises if any and on any dispute regarding title of land.

This certificate/NOC is valid for (01) year only.

THE PRINCIPAL
The Baptist Convent School
C.G.H.S Complex, I.P Ext Patparganj,
Delhi-110092


Deputy Health Officer
Shahdara (South) Zone

DEPUTY HEALTH OFFICER
MUNICIPAL CORPORATION OF DELHI
SHAHDARA (SOUTH) ZONE



THE BAPTIST CONVENT SCHOOL

(Affiliated to Central Board of Secondary Education Under All India Scheme)

C.G.H.S. Complex, I.P. Extn., Patpar Ganj, Delhi-92

Ph. : 011-22247202, 22231958, 7701915068

E-mail: baptistconvent@gmail.com Website : www.baptistconventschool.org

Ref. No. : BCS/CBSE/CER/2024

Dated : 13/03/24

SELF CERTIFICATE

This is to certify that The Baptist Convent School, C.G.H.S. Complex, I.P. Extension, Patpar Ganj, Delhi – 110092, School Code : 25038 is Affiliated with CBSE vide Affiliation No : 2730587 for the period 2020-2025.

DR. MAHIMA

Principal

THE BAPTIST CONVENT SCHOOL

C.G.H.S. COMPLEX, I.P. EXTN.,

PATPARGANJ, DELHI-110092

CERTIFICATE OF REGISTRATION.

SOCIETIES ACT, XXI OF 1860


No. S/13235

OF 1983


I hereby certify that THE BAPTIST EDUCATIONAL SOCIETY, DANESH NAGAR EXT, DELHI has been registered under the SOCIETIES REGISTRATION ACT, XXI OF 1860.

GIVEN UNDER MY HAND AT DELHI on this 4th day of FEBRUARY ONE THOUSAND NINE HUNDRED AND EIGHTY FIVE THREE.

REGISTRATION FEE OF Rs 50/- PAID


Sd/
REGISTRAR OF SOCIETIES
DELHI ADMN., DELHI

CERTIFIED TO BE TRUE COPY


REGISTRAR OF SOCIETY DELHI
SEAL DELHI
REGISTRAR OF SOCIETIES
DELHI

OFFICE OF THE DEPUTY DIRECTOR OF EDUCATION
DISTT. EAST: ANAND VIHAR : DELHI

No. DE47/DDE(E)/08/746-756

Dated : 12-6-08

To

✓ The Chairman / Manager
Baptist Convent School
CGHS Complex, I.P. Extn.,
Near Balco Market, Patparganj,
Delhi - 110092

Subject: Provisional Up-gradation of School upto Sr. Sec. Level without aid w.e.f. academic session 2008-09 in Commerce & Science.

Sir,


With reference to your application on the subject cited above, I am directed to convey the approval of the Director of Education, Delhi for the provisional up-gradation of the existing school to Sr. Sec. School without aid in Commerce & Science w.e.f. academic session 2008 - 09 subject to the following terms and conditions:

1. That the school shall abide by the provision of Delhi School Education Act, 1973, and Rules framed there under as well as the instructions issued from time to time.
2. That the school shall meet the additional liability of senior secondary classes.
3. That the school shall admit students without any discrimination of caste and creed.
4. That a proper library shall be established and facilities for reading room shall also be made available for students as well as for teachers. Books as per the ration of 10 books per students shall be purchased and made available to the students.
5. That adequate sports material shall be purchased and made available to the students.
6. That the school shall strictly abide by the provisions of section 10(1) of the Delhi School Education Act / Rules 1973.
7. That the school shall not run any un-authorized classes or any non-educational activities within the school premises and all the recognized classes shall be run at any place at the above address only.
8. That the school shall dispense the services of unqualified and over-aged staff, if any immediately.
9. That Management of the school will obtain land from the DDA, if already not obtained, in the name of the society through Director of Education, Delhi and shall construct a school building thereon for the school as per specification of the Department within the period of three years. That adequate and sufficient accommodation of 10 Sq.ft. per students shall be provided for classroom.
10. The Management committee shall regulate the functioning of school strictly in accordance with the provisions of DSER, 1973.

Contd.....

12/6/08

11. The Managing Committee of the school shall not increase the tuition fees & other charge in future during the academic session without prior approval of Director of Education which is a mandatory requirement under sub-section (3) of Section 17 of Delhi School Education Act & Rules.
12. That all the facilities prescribed under Rule 50 & 51 of the DSEA and Rules, 1973 shall be made available to the students.
13. That the management of the school shall create a Reserve Fund equal to minimum three months salary of the staff in the joint name of Director of Education and Manager of the School.
14. That the school shall comply with the norms of the CBSE for affiliation fees / examination purpose.
15. That school should admit students under EWS quota as per direction issued by the department.
16. That the school authority will maintain the depreciation reserve fund and will deposit the amount collected as development fund since the recognition of school and the same should be reflected in the financial statement of the year 2008-09
17. That the school authority would produce documentary evidence of having paid all the arrears of merged DA within three months of receipt of this letter, failing which these provisional upgradation will automatically be treated as cancelled without any further information.



(R.N.SHARMA)
DY. DIRECTOR OF EDUCATION
DISTT. EAST

Dated 12-6-08

No-746-756

Copy to the following for their information and necessary action please:

1. PS to Director of Education, Old Sectt., Delhi.
2. Addl. DE (School), Directorate of Education, Old Sectt., Delhi.
3. Secy. CBSE, Preet Vihar, Delhi.
4. DDE (Pig.), Old Sectt., Delhi
5. DDE (ACT), Old Sectt., Delhi
6. DDE (HQ), Directorate of Education, Old Sectt., Delhi
7. DDE (Estate Branch), Lucknow Road, Delhi.
8. EO Zone - II.
9. PS to RD (East).
10. Guard file.


(R.N.SHARMA)
DY. DIRECTOR OF EDUCATION
DISTT. EAST